

TMCHILL24

Sample ID: 2609AFL1659.5663

Internal Lab ID: ATL-39429

Client

Strain: THC Chill Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 09/14/2026

Lic. #

Type: Hard Lozenge

Completed: 09/30/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.186 g

Batch#: TMCHILL24

Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/16/2026	Complete
Residual Solvents		Pass
Microbials	09/25/2026	Pass
Mycotoxins	09/29/2026	Pass
Pesticides	09/29/2026	Pass
Heavy Metals	09/30/2026	Pass
Foreign Matter	09/25/2026	Pass

Basic Potency

Complete

0.211%

Total THC

0.431%

Total CBD

0.642%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.002	ND	ND	CBN	0.001	0.002	ND	ND
CBDV	0.001	0.002	ND	ND	Δ^9 -THC	0.001	0.002	0.211	2.50
CBDa	0.001	0.002	ND	ND	Δ^8 -THC	0.001	0.002	ND	ND
CBGa	0.001	0.002	ND	ND	(6aR,9S)-d10-THC	0.001	0.002	ND	ND
CBG	0.001	0.002	ND	ND	(6aR,9R)-d10-THC	0.001	0.002	ND	ND
CBD	0.001	0.002	0.431	5.11	CBC	0.001	0.002	ND	ND
THCV	0.001	0.002	ND	ND	CBCa	0.001	0.002	ND	ND
Δ^8 -THCV	0.001	0.002	ND	ND	THCa	0.001	0.002	ND	ND
THCVa	0.001	0.002	ND	ND	Total			0.642	7.61

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 09/16/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
09/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.



TMCHILL24

Sample ID: 2609AFL1659.5663

Internal Lab ID: ATL-39429

Client

Strain: THC Chill Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 09/14/2026

Lic. #

Type: Hard Lozenge

Completed: 09/30/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.186 g

Batch#: TMCHILL24

Davie, FL 33314

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	7.968	39.840	300	ND	Pass	Fludioxonil	0.808	4.040	3000	ND	Pass
Acephate	8.224	41.120	3000	ND	Pass	Hexythiazox	0.800	4.000	2000	ND	Pass
Acequinocyl	0.808	4.040	2000	ND	Pass	Imazalil	8.056	40.280	100	ND	Pass
Acetamiprid	0.812	4.060	3000	ND	Pass	Imidacloprid	8.144	40.720	3000	ND	Pass
Aldicarb	7.968	39.840	100	ND	Pass	Kresoxim Methyl	8.160	40.800	1000	ND	Pass
Azoxystrobin	0.804	4.020	3000	ND	Pass	Malathion	8.144	40.720	2000	ND	Pass
Bifenazate	0.810	4.050	3000	ND	Pass	Metalaxyl	0.804	4.020	3000	ND	Pass
Bifenthrin	0.798	3.990	500	ND	Pass	Methiocarb	0.806	4.030	100	ND	Pass
Boscalid	0.808	4.040	3000	ND	Pass	Methomyl	8.080	40.400	100	ND	Pass
Captan	6.706	33.530	3000	ND	Pass	Mevinphos	8.104	40.520	100	ND	Pass
Carbaryl	8.160	40.800	500	ND	Pass	Myclobutanil	0.796	3.980	3000	ND	Pass
Carbofuran	0.798	3.990	100	ND	Pass	Naled	8.056	40.280	500	ND	Pass
Chlorantraniliprole	8.048	40.240	3000	ND	Pass	Oxamyl	8.080	40.400	500	ND	Pass
Chlordane	4.032	20.160	100	ND	Pass	Paclobutrazol	0.810	4.050	100	ND	Pass
Chlorfenapyr	8.040	40.200	100	ND	Pass	Parathion Methyl	8.112	40.560	100	ND	Pass
Chlormequat Chloride	8.112	40.560	3000	ND	Pass	Pentachloronitrobenzene	4.012	20.060	200	ND	Pass
Chlorpyrifos	8.024	40.120	100	ND	Pass	Permethrin	0.802	4.010	1000	ND	Pass
Clofentezine	0.812	4.060	500	ND	Pass	Phosmet	8.080	40.400	200	ND	Pass
Coumaphos	0.814	4.070	100	ND	Pass	Piperonyl Butoxide	0.804	4.020	3000	ND	Pass
Cyfluthrin	6.690	33.450	1000	ND	Pass	Prallethrin	8.080	40.400	400	ND	Pass
Cypermethrin	6.694	33.470	1000	ND	Pass	Propiconazole	0.808	4.040	1000	ND	Pass
Daminozide	7.992	39.960	100	ND	Pass	Propoxur	0.810	4.050	100	ND	Pass
Diazinon	0.802	4.010	200	ND	Pass	Pyrethrins			1000	ND	Pass
Dichlorvos	8.080	40.400	100	ND	Pass	Pyridaben	0.808	4.040	3000	ND	Pass
Dimethoate	0.812	4.060	100	ND	Pass	Spinetoram			3000	ND	Pass
Dimethomorph	0.804	4.020	3000	ND	Pass	Spinosad			3000	ND	Pass
Ethoprophos	0.802	4.010	100	ND	Pass	Spiromesifen	0.804	4.020	3000	ND	Pass
Etofenprox	8.072	40.360	100	ND	Pass	Spirotetramat	0.796	3.980	3000	ND	Pass
Etoxazole	0.802	4.010	1500	ND	Pass	Spiroxamine	0.798	3.990	100	ND	Pass
Fenhexamid	0.808	4.040	3000	ND	Pass	Tebuconazole	0.812	4.060	1000	ND	Pass
Fenoxycarb	0.808	4.040	100	ND	Pass	Thiacloprid	0.802	4.010	100	ND	Pass
Fenpyroximate	0.804	4.020	2000	ND	Pass	Thiamethoxam	0.796	3.980	1000	ND	Pass
Fipronil	0.814	4.070	100	ND	Pass	Trifloxystrobin	0.796	3.980	3000	ND	Pass
Flonicamid	0.800	4.000	2000	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 09/29/2026

Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory



Lise Berthe-Laurent
Laboratory Director
09/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.



TMCHILL24

Sample ID: 2609AFL1659.5663

Internal Lab ID: ATL-39429

Client

Strain: THC Chill Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 09/14/2026

Lic. #

Type: Hard Lozenge

Completed: 09/30/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.186 g

Batch#: TMCHILL24

Davie, FL 33314

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 09/25/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 09/29/2026
Pesticides and Mycotoxins testing are subcontracted to an ISO/IEC 17025 accredited laboratory

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 09/25/2026



Lise Berthe-Laurent
Laboratory Director
09/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.



TMCHILL24

Sample ID: 2609AFL1659.5663

Internal Lab ID: ATL-39429

Client

Strain: THC Chill Mints

Tillmans Tranquils

Matrix: Ingestible

Received: 09/14/2026

Lic. #

Type: Hard Lozenge

Completed: 09/30/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 1.186 g

Batch#: TMCHILL24

Davie, FL 33314

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.63	1.88	8	ND	Pass	n-Heptane	0.63	1.88	5000	ND	Pass
1,2-Dichloroethane	0.63	1.88	2	ND	Pass	Isobutane	0.63	1.89		ND	Tested
1,4-Dioxane	0.63	1.88		ND	Tested	Isopentane	0.21	0.63		ND	Tested
2,2-Dimethylbutane	0.13	0.38		ND	Tested	Isopropanol	9.21	27.62	500	ND	Pass
2,3-Dimethylbutane	0.13	0.38		ND	Tested	Isopropyl Acetate	0.63	1.88		ND	Tested
2-Butanol	0.63	1.88		ND	Tested	m-Xylene + p-Xylene	0.31	0.94		ND	Tested
2-Ethoxyethanol	1.25	3.76		ND	Tested	Methanol	6.25	18.76	250	ND	Pass
2-Methylpentane	0.13	0.38		ND	Tested	Methylene Chloride	0.63	1.88	125	ND	Pass
3-Methylpentane	0.13	0.38		ND	Tested	n-Butane	0.31	0.94		ND	Tested
Acetone	0.63	1.88	750	ND	Pass	n-Hexane	0.13	0.38		ND	Tested
Acetonitrile	6.22	18.66	60	ND	Pass	n-Pentane	0.21	0.63		ND	Tested
Benzene	0.01	0.02	1	ND	Pass	Neopentane	0.21	0.62		ND	Tested
Chloroform	0.03	0.08	2	ND	Pass	o-Xylene	0.16	0.47		ND	Tested
Cumene	0.63	1.88		ND	Tested	Propane	2.52	7.56	5000	ND	Pass
Cyclohexane	0.63	1.88		ND	Tested	Tetrahydrofuran	0.63	1.88		ND	Tested
Ethanol	12.96	38.87	5000	ND	Pass	Toluene	0.76	2.29	150	ND	Pass
Ethyl Acetate	3.56	10.69	400	ND	Pass	Trichloroethene	0.63	1.88	25	ND	Pass
Ethylbenzene	0.16	0.47		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether	0.63	1.88	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	20.03	60.08		ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide	0.63	1.88	5	ND	Pass	Xylenes	4.00	12.00	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested:

Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16.2	48.6	1500	ND	Pass
Cadmium	16.2	48.6	500	ND	Pass
Lead	16.2	48.6	500	ND	Pass
Mercury	16.2	48.6	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 09/30/2026



Lise Berthe-Laurent
Laboratory Director
09/30/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.