

**D9 Shot**

 Sample ID: SA-221028-13490  
 Batch: DS-0901  
 Type: Finished Products  
 Matrix: Oil / Liquid - Beverage  
 Unit Mass (g):

 Received: 10/31/2022  
 Completed: 11/09/2022

**Client**  
 Alternative Health Distribution  
 105 Oakpark Dr Suite A  
 Mooresville, NC 28115  
 USA  
 Lic. #: 12334

**Summary**

Test Cannabinoids	Date Tested 11/09/2022	Status Tested
----------------------	---------------------------	------------------

<b>1.91 mg/mL</b> Total Δ9-THC	<b>1.91 mg/mL</b> Δ9-THC	<b>1.99 mg/mL</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
-----------------------------------	-----------------------------	---	---------------------------------------	-------------------------------------	---

**Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS**

Analyte	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (%)	Result (mg/unk)
CBC	0.00095	0.00284	ND	ND	ND
CBCA	0.00181	0.00543	ND	ND	ND
CBCV	0.0006	0.0018	ND	ND	ND
CBD	0.00081	0.00242	0.0734	0.0075	0.867
CBDA	0.00043	0.0013	ND	ND	ND
CBDV	0.00061	0.00182	ND	ND	ND
CBDVA	0.00021	0.00063	ND	ND	ND
CBG	0.00057	0.00172	ND	ND	ND
CBGA	0.00049	0.00147	ND	ND	ND
CBL	0.0082	0.00335	ND	ND	ND
CBLA	0.0024	0.0071	ND	ND	ND
CBN	0.00056	0.00169	ND	ND	ND
CBNA	0.0006	0.00181	ND	ND	ND
CBT	0.0078	0.0054	ND	ND	ND
Δ8-THC	0.0004	0.0012	0.04255	0.0043	213
Δ9-THC	0.00076	0.00227	1.91381	0.194	95.7
Δ9-THCA	0.00084	0.00253	ND	ND	ND
Δ9-THCV	0.00069	0.00206	0.01809	0.00183	0.904
Δ9-THCVA	0.00062	0.00186	ND	ND	ND
<b>Total Δ9-THC</b>			<b>1.91</b>	<b>0.194</b>	<b>95.7</b>
<b>Total CBD</b>			<b>0.073</b>	<b>0.0075</b>	<b>0.867</b>
<b>Total</b>			<b>1.99</b>	<b>0.202</b>	<b>99.6</b>

ND = Not Detected, NT = Not Tested, LOD = Limit of Detection, LOQ = Limit of Quantitation, RL = Reporting Limit, Δ = Delta, Total Δ9-THC + Δ8-THCA \* 0.877 = Δ9-THC, Total CBD + CBDA \* 0.877 = CBD



Generated By: Ryan Bellone



 Tested By: Nicholas Howard  
 Scientist

Date: 11/09/2022

Date: 11/09/2022


 ISO/IEC 17025:2017 Accredited  
 Accreditation #508651


This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. If results otherwise stated, results of tests performed on all quality control samples met criteria for acceptance as established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substance reported herein. This Certificate of Analysis shall not be reproduced except in full without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.