

APPLE FRITTER

Sample ID: 2409AFL0134.0691
Strain: APPLE FRITTER
Matrix: Plant
Type: Hemp
Unit Weight: g

Internal Lab ID: ATL-23829
Received: 09/16/2024
Completed: 10/09/2024
Batch#: HR20240590901

Client
Fresh Farm
Lic. #
3790 SW 30th ave
FORT LAUDERDALE, FL 33312



Summary


Test	Date Tested	Result
Batch		Pass
Residual Solvents	09/17/2024	Pass
Microbials	10/08/2024	Pass
Pesticides	09/17/2024	Pass
Heavy Metals	09/23/2024	Pass
Foreign Matter	09/17/2024	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001



NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
---	---	-------------------------------




Paulo Gonzalez
Laboratory Manager
10/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





APPLE FRITTER

Sample ID: 2409AFL0134.0691

Internal Lab ID: ATL-23829

Client

Strain: APPLE FRITTER

Fresh Farm

Matrix: Plant

Received: 09/16/2024

Lic. #

Type: Hemp

Completed: 10/09/2024

3790 SW 30th ave

Unit Weight: g

Batch#: HR20240590901

FORT LAUDERDALE, FL 33312

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Acephate	100.0	NR	NT	Fipronil	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Imazalil	100.0	ND	Pass
Bifenazate	100.0	NR	NT	Kresoxim Methyl	100.0	ND	Pass
Bifenthrin	100.0	NR	NT	Malathion	200.0	ND	Pass
Boscalid	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Methiocarb	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbofuran	100.0	ND	Pass	Myclobutanil	3000	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Naled	250.00	ND	Pass
Chlordane	100.0	ND	Pass	Paclbutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Clofentezine	200.0	ND	Pass	Permethrin	100.0	ND	Pass
Coumaphos	100.0	ND	Pass	Phosmet	100.0	ND	Pass
Cyfluthrin	500.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyrethrins	500.0	ND	Pass
Dimethoate	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Etoxazole	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass				



Date Tested: 09/17/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Manager
10/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





APPLE FRITTER

Sample ID: 2409AFL0134.0691	Internal Lab ID: ATL-23829	Client
Strain: APPLE FRITTER		Fresh Farm
Matrix: Plant	Received: 09/16/2024	Lic. #
Type: Hemp	Completed: 10/09/2024	3790 SW 30th ave
Unit Weight: g	Batch#: HR20240590901	FORT LAUDERDALE, FL 33312

Microbials

Pass

Analyte	LOD CFU/g	Result CFU/g	Status
Aerobic Bacteria	10	NR	NT
Aspergillus	1	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	1	Not Detected in 1g	Pass
Enterobacteriaceae	10	NR	NT
Salmonella	1	Not Detected in 1g	Pass
Staphylococcus aureus	10	NR	NT
Yeast & Mold	10	13000	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022
Date Tested: 10/08/2024
Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	1	<LOD	Pass
Insects	1	<LOD	Pass
Feces	0.5	<LOD	Pass
Mold	1	<LOD	Pass
FM Other		<LOD	Pass
Hair	1	<LOD	Pass

Document ID:
Date Tested: 09/17/2024
Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Arsenic	100	1500	ND	Pass
Cadmium	100	500	ND	Pass
Lead	100	500	ND	Pass
Mercury	100	3000	ND	Pass

Date Tested: 09/23/2024
Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Manager
10/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





APPLE FRITTER

Sample ID: 2409AFL0134.0691

Internal Lab ID: ATL-23829

Client

Strain: APPLE FRITTER

Fresh Farm

Matrix: Plant

Received: 09/16/2024

Lic. #

Type: Hemp

Completed: 10/09/2024

3790 SW 30th ave

Unit Weight: g

Batch#: HR20240590901

FORT LAUDERDALE, FL 33312

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Chloroform	0.2	2	ND	Pass
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl Ether	40	500	ND	Pass
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Isopropanol	40	500	ND	Pass
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71	5000	ND	Pass
Hexane	5	250	ND	Pass
Pentane	59	750	ND	Pass
Propane	165	5000	ND	Pass
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass




Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 09/17/2024

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001




Paulo Gonzalez
Laboratory Manager
10/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

