CYCLING FROG
CANNABIS COMPANY

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

PRODUCT NAME Passion Fruit THC Seltzer

BULK SKU SLZ.D9.PF1.6PK **BATCH #** HJ24-Z

SERVING SIZE 1 Can (355 mL)

LABORATORY Anresco

POTENCY	PER SERVING		PER GRAM	
Cannabidiol (CBD)	20.8	mg/serving	0.0585	mg/g
Total THC (d9-THC, THCA)	1.14	mg/serving	0.00319	mg/g
Cannabigerol (CBG)	<LOQ	mg/serving	<LOQ	mg/g
Cannabinol (CBN)	<LOQ	mg/serving	<LOQ	mg/g
Cannabichromene (CBC)	<LOQ	mg/serving	<LOQ	mg/g
Tetrahydrocannabinolic Acid (THCA)	<LOQ	mg/serving	<LOQ	mg/g
Delta-9-THC (d9-THC)	1.14	mg/serving	0.00319	mg/g
Delta-8-THC (d8-THC)	<LOQ	mg/serving	<LOQ	mg/g

HEAVY METALS	PER GRAM		REGULATORY ACTION LEVEL
Arsenic	<LOQ	µg/g	1.5 µg/g
Cadmium	<LOQ	µg/g	0.5 µg/g
Lead	<LOQ	µg/g	0.5 µg/g
Mercury	<LOQ	µg/g	3.0 µg/g

RESIDUAL SOLVENTS	PER GRAM		REGULATORY ACTION LEVEL
Ethanol[1]	580	µg/g	5,000 µg/g
Heptane	<LOQ	µg/g	5,000 µg/g
None of the other residual solvents tested were found above the regulatory action level.			

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Total Aerobic Bacteria	Pass

PESTICIDES
None of the 50+ pesticides tested were found above the limit of detection.

Production facility information
Texas Department of State Health Services
License number 1026543

Laboratory information
Anresco Laboratories
1375 Van Dyke Ave, San Francisco, CA 94124
ISO/IEC 17025:2017 accreditation ANAB AT-1551

LOQ: Limit of Quantitation

1. Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

CUSTOMER:

Lazarus Naturals
Attn: Sequoia Price-Lazarus/Evan
1116 NW 51st Street
Seattle, WA 98107

SAMPLE INFORMATION

Sample No.: 1364137
Product Name: SLZ.D9.PF1.6PK-HJ24-Z
Matrix: Edible (Carbonated Beverage)
Lot #: HJ24-Z

Date Collected: 11/25/2025
Date Received: 11/25/2025
Date Reported: 12/03/2025

TEST SUMMARY

Cannabinoid Profile: Pass
Heavy Metal Screen: Pass
Residual Solvent Screen - CO CDPHE: Pass
Microbiological Screen: Tested
Pesticide & Mycotoxin Screen: Pass

Cannabinoid Profile Pass

12/01/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference	Status
Δ8-THC	ND	ND	ND	ND	ND	-	-	-
Δ9-THC	0.0032	0.00032	0.0032	1.14	1.14	1.5	24.01	Pass
Δ9-THCA	ND	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	ND	-	-	-
CBD	0.0585	0.00585	0.0587	20.84	20.84	24	13.17	-
CBDA	ND	ND	ND	ND	ND	-	-	-
CBC	ND	ND	ND	ND	ND	-	-	-
CBCA	ND	ND	ND	ND	ND	-	-	-
CBDV	ND	ND	ND	ND	ND	-	-	-
CBG	ND	ND	ND	ND	ND	-	-	-
CBGA	ND	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	ND	-	-	-
Total THC	0.0032	0.00032	0.0032	1.14	1.14	-	-	-
Total CBD	0.0585	0.00585	0.0587	20.84	20.84	-	-	-
Total Cannabinoids	0.0617	0.00617	0.0619	21.98	21.98	-	-	-
Sum of Cannabinoids	0.0617	0.00617	0.0619	21.98	21.98	-	-	-
Serving Weight (g)	356.2070							
Package Weight (g)	356.207							
g/ml Conversion Factor	1.0034							

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comment(s): This result of this sample is confirmed with a retest.

Microbiological Screen Tested

12/03/2025

Analyte	Method	Findings	Units	Status
Standard Plate Count	FDA BAM	0/10	cfu/g	-
Yeast	FDA BAM	0/10	cfu/g	-
Mold	FDA BAM	0/10	cfu/g	-
Coliforms	FDA BAM - ECC AGAR	0/10	cfu/g	-
Escherichia coli	FDA BAM - ECC AGAR	0/10	cfu/g	-
Salmonella	MF-MICRO-11	Not Detected/25g	cfu/g	Pass
STEC	MF-MICRO-18	Not Detected/25g	/1g	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Heavy Metal Screen ✔ Pass

12/01/2025

Method: MF-CHEM-16

Instrument: ICP-MS

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	1.5	Pass
Lead	0.02/0.05	ND	0.5	Pass

Pesticide & Mycotoxin Screen ✔ Pass

12/01/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acephate	0.006/0.02	ND	0.02	Pass
Acequinocyl	0.009/0.03	ND	0.03	Pass
Acetamiprid	0.015/0.05	ND	0.1	Pass
Aflatoxin B1	0.002/0.005	ND	0.005	Pass
Aflatoxin B2	0.002/0.005	ND	0.005	Pass
Aflatoxin G1	0.002/0.005	ND	0.005	Pass
Aflatoxin G2	0.002/0.005	ND	0.005	Pass
Total Aflatoxins	0.008/0.02	ND	0.02	Pass
Aldicarb	0.02/0.06	ND	1	Pass
Allethrin	0.06/0.2	ND	0.2	Pass
Atrazine	0.008/0.025	ND	0.025	Pass
Avermectin B1a	0.03/0.1	ND	0.1	Pass
Azadirachtin	0.3/1.0	ND	1.0	Pass
Azoxystrobin	0.003/0.01	ND	0.02	Pass
Benzovindiflupyr	0.003/0.01	ND	0.02	Pass
Bifenazate	0.003/0.01	ND	0.02	Pass
Bifenthrin	0.03/0.1	ND	1	Pass
Boscalid	0.003/0.01	ND	0.02	Pass
Buprofezin	0.006/0.02	ND	0.02	Pass
Carbaryl	0.008/0.025	ND	0.05	Pass
Carbofuran	0.003/0.01	ND	0.02	Pass
Chlorantraniliprole	0.006/0.02	ND	0.02	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlorpyrifos	0.01/0.04	ND	0.04	Pass
Clofentezine	0.003/0.01	ND	0.02	Pass
Clothianidin	0.008/0.025	ND	0.05	Pass
Coumaphos	0.003/0.01	ND	0.02	Pass
Cyantraniliprole	0.003/0.01	ND	0.02	Pass
Cyfluthrin	0.06/0.2	ND	0.2	Pass
Cyhalothrin (Lambda)	0.075/0.25	ND	0.25	Pass
Cypermethrin	0.06/0.2	ND	0.3	Pass
Cyprodinil	0.015/0.05	ND	0.25	Pass
Daminozide	0.03/0.1	ND	0.1	Pass
Deltamethrin	0.09/0.3	ND	0.5	Pass
Diazinon	0.006/0.02	ND	0.02	Pass
Dichlorvos	0.015/0.05	ND	0.1	Pass
Dimethoate	0.006/0.02	ND	0.02	Pass
Dimethomorph	0.015/0.05	ND	0.05	Pass
Dinotefuran	0.015/0.05	ND	0.1	Pass
Diuron	0.015/0.05	ND	0.125	Pass
Dodemorph	0.015/0.05	ND	0.05	Pass
Endosulfan sulfate	0.015/0.05	ND	0.05	Pass
Endosulfan-alpha (I)	0.015/0.05	ND	0.2	Pass
Endosulfan-beta (II)	0.015/0.05	ND	0.05	Pass
Ethoprophos	0.006/0.02	ND	0.02	Pass
Etofenprox	0.015/0.05	ND	0.05	Pass
Etoxazole	0.006/0.02	ND	0.02	Pass
Etridiazole	0.009/0.03	ND	0.03	Pass
Fenhexamid	0.015/0.05	ND	0.125	Pass
Fenoxycarb	0.003/0.01	ND	0.02	Pass
Fenpyroximate	0.006/0.02	ND	0.02	Pass
Fensulfothion	0.003/0.01	ND	0.02	Pass
Fenthion	0.006/0.02	ND	0.02	Pass
Fenvalerate	0.03/0.1	ND	0.1	Pass
Fipronil	0.02/0.06	ND	0.06	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Flonicamid	0.008/0.025	ND	0.05	Pass
Fludioxonil	0.003/0.01	ND	0.02	Pass
Fluopyram	0.003/0.01	ND	0.02	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.05	Pass
Imidacloprid	0.003/0.01	ND	0.02	Pass
Iprodione	0.15/0.5	ND	1	Pass
Kinoprene	0.15/0.5	ND	0.5	Pass
Kresoxim-methyl	0.006/0.02	ND	0.02	Pass
Malathion	0.003/0.01	ND	0.02	Pass
Metalaxyl	0.003/0.01	ND	0.02	Pass
Methiocarb	0.003/0.01	ND	0.02	Pass
Methomyl	0.008/0.025	ND	0.05	Pass
Methoprene	0.6/2	ND	2	Pass
Methyl parathion	0.015/0.05	ND	0.05	Pass
Mevinphos	0.008/0.025	ND	0.05	Pass
MGK-264	0.015/0.05	ND	0.05	Pass
Myclobutanil	0.003/0.01	ND	0.02	Pass
Naled	0.015/0.05	ND	0.1	Pass
Novaluron	0.008/0.025	ND	0.05	Pass
Ochratoxin A	0.002/0.005	ND	0.005	Pass
Oxamyl	0.015/0.05	ND	3.0	Pass
Paclobutrazol	0.003/0.01	ND	0.02	Pass
Permethrin	0.06/0.2	ND	0.5	Pass
Pentachloronitrobenzene	0.006/0.02	ND	0.02	Pass
Phenothrin	0.015/0.05	ND	0.05	Pass
Phosmet	0.006/0.02	ND	0.02	Pass
Piperonyl butoxide	0.015/0.05	ND	0.2	Pass
Pirimicarb	0.003/0.01	ND	0.02	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Propiconazole	0.015/0.05	ND	0.1	Pass
Propoxur	0.003/0.01	ND	0.02	Pass
Pyraclostrobin	0.003/0.01	ND	0.02	Pass
Pyrethrins	0.015/0.05	ND	0.05	Pass
Pyridaben	0.006/0.02	ND	0.05	Pass
Pyriproxyfen	0.003/0.01	ND	0.01	Pass
Resmethrin	0.03/0.1	ND	0.1	Pass
Spinetoram	0.003/0.01	ND	0.02	Pass
Spinosad	0.003/0.01	ND	0.1	Pass
Spirodiclofen	0.03/0.1	ND	0.25	Pass
Spiromesifen	0.03/0.1	ND	3	Pass
Spirotetramat	0.003/0.01	ND	0.02	Pass
Spiroxamine	0.015/0.05	ND	0.1	Pass
Tebuconazole	0.003/0.01	ND	0.05	Pass
Tebufenozide	0.003/0.01	ND	0.02	Pass
Teflubenzuron	0.015/0.05	ND	0.05	Pass
Tetrachlorvinphos	0.006/0.02	ND	0.02	Pass
Tetramethrin	0.03/0.1	ND	0.1	Pass
Thiabendazole	0.006/0.02	ND	0.02	Pass
Thiacloprid	0.003/0.01	ND	0.02	Pass
Thiamethoxam	0.003/0.01	ND	0.02	Pass
Thiophanate-methyl	0.015/0.05	ND	0.05	Pass
Trifloxystrobin	0.003/0.01	ND	0.02	Pass

Note: Statuses with an asterisk (*) indicate LOQ/Action Limits not available or established by the CDPHE per CDPHE Code Reg. 1010-21.7.

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Residual Solvent Screen - CO CDPHE ✔ Pass

12/01/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD / LOQ (ppm)	Findings (ppm)	Limit	Status
Acetone	67/200	ND	1000	Pass
Benzene	0.2/0.5	ND	2	Pass
Butanes	67/200	ND	1000	Pass
Ethanol	67/200	580	1000	Pass
Ethyl Acetate	67/200	ND	1000	Pass
Heptanes	67/200	ND	1000	Pass
Hexane	14/40	ND	60	Pass
Isopropyl Alcohol	67/200	ND	1000	Pass
Methanol	67/200	ND	600	Pass
Pentane	67/200	ND	1000	Pass
propane	67/200	ND	1000	Pass
Toluene	14/40	ND	180	Pass
Total Xylenes (m, p, o-xylenes)	67/200	ND	430	Pass
Any other solvent not permitted for use	NA/NA	ND	NA	Pass

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by

Vu Lam
Lab Co Director

Scan to verify

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.